



3612 N. 16th Street · Phoenix, AZ 85016
 Local: (602) 268-0001 · Fax: (602) 268-0130
 Toll Free: (800) 445-6611 · Fax: (800) 445-6690



Latest New Product
 TYPE = LIGHT DISTRIBUTION
 LED CORN BULBS AND LED RETROFITS
 KITS RATED FOR ENCLOSED FIXTURES



DLC AND UL ITEMS | 50,000 HOURS | 5-YEAR WARRANTY | Call for volume discounts



New items in red text | 480-Volt items in yellow

| LED RETROFIT KITS - PHILIPS 3030 CHIPS MEAN POWER CAN BE REDUCED REDUCED PRICING ON LED RETROFIT PLATES | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|---|---------------------------------------|--|
| | SW100P DLC PREMIUM SEOUL 3030 CHIPS | 100W LED=350W MH 11,000 TO 12,500 LUMENS 120-277V |
| | SW120P DLC PREMIUM SEOUL 3030 CHIPS | 120W LED=400W MH 13,200 TO 15,000 LUMENS 120-277V |
| | SW150P DLC PREMIUM SEOUL 3030 CHIPS | 150W LED=500W MH 17,250 TO 18,750 LUMENS 120-277V |
| | SW200P DLC PHILIPS 3030 CHIPS | 200W LED=600W MH 22,000 TO 25,000 LUMENS 120-277V |
| | SW240P DLC PREMIUM SEOUL 3030 CHIPS | 240W LED=750W MH 26,400 TO 30,000 LUMENS 120-277V |
| | SW300P DLC PHILIPS 3030 CHIPS | 300W LED=1000W MH 33,000 TO 37,500 LUMENS 120-277V |
| | SW300-480 DLC PHILIPS 3030 CHIPS | 300W LED=1000W MH 33,000 TO 37,500 LUMENS 480V |
| | SW400P DLC AND UL PHILIPS 3030 CHIPS | 400W LED=1200W MH 44,000 TO 50,000 LUMENS 120-277V |
| | SW480P DLC AND UL PHILIPS 3030 CHIPS | 480W LED=1500W MH 52,800 TO 60,000 LUMENS 120-277V |
| LED RETROFIT KITS - PHILIPS 3030 CHIPS CANT REDUCE MEAN POWER | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
| | SW60R-480 DLC 3030 PHILIPS 3030 CHIPS | 60W LED=250W MH 6,600 TO 7,500 LUMENS 200-480V |
| | SW80P DLC PREMIUM SEOUL 3030 CHIPS | 80W LED=300W MH 8,800 TO 10,000 LUMENS 120-277V |
| | SW100PV DLC PREMIUM SEOUL 3030 CHIPS | 100W LED=350W MH 11,000 TO 12,500 LUMENS 120-277V |
| | SW120PV DLC PREMIUM SEOUL 3030 CHIPS | 120W LED=400W MH 13,200 TO 15,000 LUMENS 120-277V |
| | SW150PV DLC PHILIPS 3030 CHIPS | 150W LED=500W MH 17,250 TO 18,750 LUMENS 120-277V |
| LED RETROFIT KITS - CREE-XTE CHIPS | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
| | SW35R ROUND DLC AND UL CREE CHIPS | 35W LED=125W MH 3,675 TO 4,200 LUMENS 120-277V |
| | SW45R ROUND DLC AND UL CREE CHIPS | 45W LED=150W MH 4,725 TO 5,400 LUMENS 120-277V |
| | SW60R ROUND DLC AND UL CREE CHIPS | 60W LED=250W MH 6,825 TO 7,800 LUMENS 120-277V |
| | SW60 DLC AND UL CREE CHIPS | 60W LED=250W MH 6,300 TO 7,500 LUMENS 120-277V |
| | SW80 DLC AND UL CREE CHIPS | 80W LED=300W MH 8,400 TO 9,600 LUMENS 120-277V |
| | SW105 DLC AND UL CREE CHIPS | 105W LED=350W MH 11,025 TO 12,600 LUMENS 120-277V |
| | SW120 DLC AND UL CREE CHIPS | 120W LED=400W MH 12,600 TO 14,400 LUMENS 120-277V |
| | SW150 DLC AND UL CREE CHIPS | 150W LED=500W MH 15,750 TO 18,000 LUMENS 120-277V |
| | SW200 DLC AND UL CREE CHIPS | 200W LED=600W MH 21,000 TO 24,000 LUMENS 120-277V |
| | SW320 DLC AND UL CREE CHIPS | 320W LED=1000W MH 33,600 TO 38,400 LUMENS 120-277V |
| | SW400 DLC AND UL CREE CHIPS | 400W LED=1200W MH 42,000 TO 48,000 LUMENS 120-277V |
| | SW80-480 DLC AND UL CREE CHIPS | 80W LED=300W MH 8,400 TO 9,600 LUMENS 200-480V |
| | SW105-480 DLC AND UL CREE CHIPS | 105W LED=350W MH 11,025 TO 12,600 LUMENS 200-480V |
| | SW120-480 DLC AND UL CREE CHIPS | 120W LED=400W MH 12,600 TO 14,400 LUMENS 200-480V |
| | SW150-480 DLC AND UL CREE CHIPS | 150W LED=500W MH 15,750 TO 18,000 LUMENS 200-480V |
| | SW240-480 DLC AND UL CREE CHIPS | 240W LED=700W MH 25,410 TO 28,800 LUMENS 200-480V |
| | SW400-480 DLC AND UL CREE CHIPS | 400W LED=1000W MH 42,000 TO 48,000 LUMENS 200-480V |

| 180 DEGREE NEW TYPE LED PADDLE CORN BULB | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|---|--|--|
|  | LPAD2739-MOGUL BASE E39 DLC/UL | 27W LED=100W MH 3150-3300 LUMENS 120-277V E39 |
| | LPAD2726-MEDIUM BASE E26 UL | 27W LED=100W MH 3150-3300 LUMENS 120-277V E26 |
| | LPAD3639-MOGUL BASE E39 DLC/UL | 36W LED=150W MH 4200-4400 LUMENS 120-277V E39 |
| | LPAD3626-MEDIUM BASE E26 UL | 36W LED=150W MH 4200-4400 LUMENS 120-277V E26 |
| | LPAD5439-MOGUL BASE E39 DLC/UL | 54W LED=200W MH 6000-6300 LUMENS 120-277V E39 |
| | LPAD5426-MEDIUM BASE E26 UL | 54W LED=200W MH 6000-6300 LUMENS 120-277V E26 |
| | LPAD5439NF-MOGUL BASE E39 DLC/UL | 54W LED=200W MH 6000-6300 LUMENS 120-277V E39 NO FAN |
| | LPAD5426NF-MEDIUM BASE E26 DLC/UL | 54W LED=200W MH 6000-6300 LUMENS 120-277V E26 NO FAN |
| | LPAD7539-MOGUL BASE E39 DLC/UL | 75W LED=250W MH 8400-8800 LUMENS 120-277V E39 |
| | LPAD7526-MEDIUM BASE E26 UL | 75W LED=250W MH 8400-8800 LUMENS 120-277V E26 |
| | LPAD9539-MOGUL BASE E39 DLC/UL | 95W LED=350W MH 10000-11500 LUMENS 120-277V E39 |
| | LPAD9526-MEDIUM BASE E26 UL | 95W LED=350W MH 10000-11500 LUMENS 120-277V E26 |
| | LPAD11539-MOGUL BASE E39 DLC/UL | 115W LED=400W MH 15750-16500 LUMENS 120-277V E39 |
| | LPAD11526-MEDIUM BASE E26 UL | 115W LED=400W MH 15750-16500 LUMENS 120-277V E26 |
| DUST-PROOF LED CORN LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LORB5032 UL | 5W LED=20W MH 525-550 LUMENS E26 OR G24 |
| | LORB7032 UL | 7W LED=30W MH 735-770 LUMENS E26 OR G24 |
| | LORB9032 UL | 9W LED=40W MH 945-990 LUMENS E26 OR G24 |
| | LORB12032 UL | 12W LED=50W MH 1260-1360 LUMENS E26 OR G24 |
| | LORB15032 UL | 15W LED=75W MH 1575 TO 1650 LUMENS 120-277V |
| | LORB20032 UL | 20W LED=100W MH 2100 TO 2200 LUMENS 120-277V |
| | LORB30032 UL | 30W LED=125W MH 3150 TO 3350 LUMENS 120-277V |
| | LORB40032 UL-E26 DLC-E39 | 40W LED=150W MH 4200 TO 4400 LUMENS 120-277V |
| | LORB60032 UL-E26 DLC-E39 | 60W LED=250W MH 6300 TO 6600 LUMENS 120-277V |
| | LORB80032 UL-E26 DLC-E39 | 80W LED=300W MH 8400 TO 8800 LUMENS 120-277V |
| | LORB100032 UL-E26 DLC-E39 | 100W LED=350W MH 10,000 TO 11,500 LUMENS 120-277V |
| | LORB120032 UL-E26 DLC-E39 | 120W LED=400W MH 12,600 TO 13,200 LUMENS 120-277V |
| | LORB150032 UL-E26 DLC-E39 | 150W LED=500W MH 15,750 TO 16,600 LUMENS 120-277V |
| | 3RD GENERATION SHORT-SIZE LED CORN LIGHT | MILLER ITEM |
|  | LORB20032SL UL | 20W LED=100W MH 2100 TO 2300 LUMENS 120-277V |
| | LORB30032SL UL | 30W LED=125W MH 3150 TO 3350 LUMENS 120-277V |
| | LORB40032SL UL-E26 DLC-E39 | 40W LED=150W MH 4200 TO 4400 LUMENS 120-277V |
| | LORB60032SL UL-E26 DLC-E39 | 60W LED=250W MH 6300 TO 7200 LUMENS 120-277V |
| | LORB80032SL UL-E26 DLC-E39 | 80W LED=300W MH 8400 TO 9000 LUMENS 120-277V |
| | LORB100032SL UL-E26 DLC-E39 | 100W LED=350W MH 10,500 TO 12,000 LUMENS 120-277V |
| | LORB120032SL UL-E26 DLC-E39 | 120W LED=400W MH 12,600 TO 14,000 LUMENS 120-277V |
| 4TH GENERATION DUST-PROOF LED CORN LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LORB27003SLR DLC | 27W LED=100W MH 3,456 LUMENS 120-277V E26 |
| | LORB36003SLR DLC | 36W LED=150W MH 4,608 LUMENS 120-277V E26 |
| | LORB45003SLR DLC | 45W LED=175W MH 5,760 LUMENS 120-277V E26 |
| | LORB54003SLR DLC | 54W=200W MH 6,912 LUMENS 120-277V E26 |
| 5TH GENERATION LED CORN LIGHT WITHOUT FAN | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LORB8005SLR DLC and UL | 80W LED=300W MH 8,800 LUMENS 120-277V |
| | LORB1005SLR DLC and UL | 100W LED=350W MH 11,000 LUMENS 120-277V |
| | LORB1255SLR DLC and UL | 125W LED=400W MH 13,750 LUMENS 120-277V |

| 1ST INDUSTRY LED CORN LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|---|--|--|
|  | LORB60CS DLC AND UL | 60W LED=250W MH 7,800 LUMENS 120-277V |
| | LORB80CS DLC AND UL | 80W LED=300W MH 10,400 LUMENS 120-277V |
| | LORB100CS DLC AND UL | 100W LED=350W MH 13,000 LUMENS 120-277V |
| | LORB125CS DLC AND UL | 125W LED=400W MH 16,250 LUMENS 120-277V |
|  | CIRCLIP HOOK MOUNT | CIRCLIP HOOK MOUNT |
| | CS-INDUSTRY HOOK | CS-INDUSTRY HOOK |
| | CS 3 4 ROUND TUBE | CS 3 4 ROUND TUBE |
| | CS-5 8 ROUND TUBE | CS-5 8 ROUND TUBE |
| | CS-1 4 ROUND TUBE | CS-1 4 ROUND TUBE |
| | CS-MAGNETIC | CS-MAGNETIC |
| LED HIGH BAY CORN LIGHT-NEW | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LHBCL60 NEW UL AND CUL | 60W LED=250W MH 7,200 TO 7,800 LUMENS 120-277V E26 OR E39 |
| | LHBCL80 NEW UL AND CUL | 80W LED=300W MH 9,600 TO 10,400 LUMENS 120-277V E26 OR E39 |
| | LHBCL100 NEW UL AND CUL | 100W LED=350W MH 12,000 TO 13,000 LUMENS 120-277V E26 OR E39 |
| LED TOP LIGHT-NEW | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LPL30 NEW UL | 30W LED=125W MH 3,600 TO 4,050 LUMENS 120-277V E26 OR E39 |
| | LPL40 NEW UL | 40W LED=150W MH 4,800 TO 5,400 LUMENS 120-277V E26 OR E39 |
| | LPL50 SINGLE FAN NEW UL | 50W LED=175W MH 6,000 TO 6,750 LUMENS 120-277V E26 OR E39 |
| | LPL60 DOUBLE FAN NEW UL | 60W LED=250W MH 7,500 TO 8,100 LUMENS 120-277V E26 OR E39 |
| | LPL80 DOUBLE FAN NEW UL | 80W LED=350W MH 9,600 TO 10,800 LUMENS 120-277V E26 OR E39 |
| LED LINEAR HIGH BAY LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LLHB50 DLC AND UL | 50W LED=175W MH 5,000 TO 6,500 LUMENS 120-277V |
| | LLHB100 DLC AND UL | 100W LED=350W MH 10,000 TO 13,000 LUMENS 120-277V |
| | LLHB150 DLC AND UL | 150W LED=500W MH 15,000 TO 19,500 LUMENS 120-277V |
| | LLHB200 DLC AND UL | 200W LED=600W MH 20,000 TO 26,000 LUMENS 120-277V |
| | LLHB240 DLC AND UL | 240W LED=750W MH 24,000 TO 31,200 LUMENS 120-277V |
| 2ND GENERATION NEW LED LINEAR HIGHBAY LIGHT-NEW MOTION SENSOR OPTION | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LLHB1102 DLC AND UL | 110W LED=400W MH 13,200 TO 14,300 LUMENS 120-277V |
| | LLHB1652 DLC AND UL | 165W LED=500W MH 19,800 TO 21,450 LUMENS 120-277V |
| | LLHB2202 DLC AND UL | 220W LED=675W MH 26,400 TO 28,600 LUMENS 120-277V |
| | LLHB3002 DLC AND UL | 300W LED=1000W MH 36,000 TO 39,000 LUMENS 120-277V |
| | LLHB4802 DLC AND UL | 480W LED=1500W MH 57,600 TO 62,400 LUMENS 120-277V |
| | LLHB1502MT DLC AND UL | 150W LED=500W MH 18,000 TO 19,500 LUMENS 120-277V |
| | LLHB2202MT DLC AND UL | 220W LED=600W MH 26,400 TO 28,600 LUMENS 120-277V |
| | LLHB3002MT DLC AND UL | 300W LED 1000W MH 36,000 TO 39,000 LUMENS 120-277V |
| LLHB4802MT DLC AND UL | 480W LED=1500W MH 57,600 TO 62,400 LUMENS 120-277V | |
| 5TH GENERATION LED UFO HIGHBAY LIGHT-NEWEST ANTI-GLARE LENS-MOTION SENSOR AVAILABLE | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | UFO1005 12.6" DLC, UL FACTORY DRIVER | 105W LED=350W MH 13,650 TO 15,225 LUMENS 120-277V |
| | UFO1005B 14.7" DLC, UL FACTORY DRIVER | 105W LED=350W MH 13,650 TO 15,225 LUMENS 120-277V |
| | UFO1505M 12.6" DLC, UL MEANWELL | 150W LED=500W MH 19,500 TO 21,750 LUMENS 120-277V |
| | UFO1505 12.6" DLC, UL FACTORY DRIVER | 150W LED=500W MH 19,500 TO 21,750 LUMENS 120-277V |
| | UFO1505B 14.7" DLC, UL FACTORY DRIVER | 150W LED=500W MH 19,500 TO 21,750 LUMENS 120-277V |
| | UFO1505B-480V 14.7"DLC, UL FACTORY | 150W LED=500W MH 19,500 TO 21,750 LUMENS 480V |
| | UFO2005 14.7" DLC, UL FACTORY DRIVER | 200W LED=600W MH 26,000 TO 29,000 LUMENS 120-277V |
| | UFO2405B 14.7" DLC, UL FACTORY DRIVER | 240W LED=700W MH 31,200 TO 34,800 LUMENS 120-277V |
| | UFO2405BM 14.7"DLC, UL MEANWELL | 240W LED=700W MH 31,200 TO 34,800 LUMENS 120-277V |
| UFO2005-480V 14.7"DLC, UL FACTORY | 200W LED=600W MH 26,000 TO 29,000 LUMENS 480V | |

| LED STREET LIGHT - PHILIPS 3030 CHIPS ITEM NUMBER STAYED THE SAME | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|---|--|---|
|  | LSBS602 DLC AND UL | 60W LED=250W MH 6,900 TO 7,500 LUMENS 120-277V |
| | LSBS1202 DLC AND UL | 120W LED=400W MH 13,800 TO 15,000 LUMENS 120-277V |
| | LSBS1802 DLC AND UL | 180W LED=600W MH 20,700 TO 22,500 LUMENS 120-277V |
| | LSBS2402 DLC AND UL | 240W LED=700W MH 27,600 TO 30,000 LUMENS 120-277V |
| | LSBS3002 DLC AND UL | 300W LED=100W MH 34,500 TO 37,500 LUMENS 120-277V |
| | LSBS1502480 480V DLC AND UL | 150W LED=500W MH 17,250 TO 18,750 LUMENS 480V |
| | LSBS2402480 480V DLC AND UL | 240W LED=700W MH 27,600 TO 30,000 LUMENS 480V |
| LSBS3002480 480V DLC AND UL | 300W LED=1000W MH 34,500 TO 37,500 LUMENS 480V | |
| LED DUSK TO DAWN LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | L5L35 DLC AND UL | 35W LED=125W MH 4,270 LUMENS 120-277V |
| | L5L55 DLC AND UL | 55W LED=200W MH 6,710 LUMENS 120-277V |
| LED CANOPY LIGHT - 2ND GENERATION | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LGSNR45 DLC AND UL | 45W LED=175W MH 4,950 TO 5,175 LUMENS 120-277V |
| | LGSNR75 DLC AND UL | 75W LED=250W MH 8,250 TO 8,625 LUMENS 120-277V |
| | LGSNR100 DLC AND UL | 100W LED=300W MH 11,000 TO 11,500 LUMENS 120-277V |
| | LGSNR130C DLC AND UL | 130W LED=400W MH 14,300 TO 14,950 LUMENS 120-277V |
| | LGSNR130H DLC AND UL | 130W LED=400W MH 14,300 TO 14,950 LUMENS 120-277V |
| | LGSNR130-480V DLC AND UL | 130W LED=400W MH 14,300 TO 14,950 LUMENS 480V |
| | LGSNR150C DLC AND UL | 150W LED=500W MH 16,500 TO 17,250 LUMENS 120-277V |
| | LGSNR150H DLC AND UL | 150W LED=500W MH 16,500 TO 17,250 LUMENS 120-277V |
| LED CANOPY LIGHT - 2ND GENERATION | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LGSNR150CM | 150W LED=500W MH 16,500 TO 17,250 LUMENS 120-277V |
| | LGSNR180CM | 180W LED=600W MH 19,800 TO 20,700 LUMENS 120-277V |
| | LGSNR240CM | 240W LED=700W MH 26,400 TO 27,600 LUMENS 120-277V |
| LED CANOPY LIGHT - 1ST GENERATION | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LGSNR100RIDGE DLC AND UL | 100W LED=300W MH 12,000 LUMENS 120-277V |
| | LGSNR130RIDGE DLC AND UL | 130W LED=400W MH 15,600 LUMENS 120-277V |
| | LGSNR150RIDGE DLC AND UL | 150W LED=500W MH 18,000 LUMENS 120-277V |
| | LGSNR1002RIDGE DLC AND UL | 100W LED=300W MH 12,000 LUMENS 120-277V |
| | LGSNR1302RIDGE DLC AND UL | 130W LED=400W MH 15,600 LUMENS 120-277V |
| | LGSNR1502RIDGE DLC AND UL | 150W LED=500W MH 18,000 LUMENS 120-277V |
| LED CANOPY LIGHT - 1ST GENERATION NEW DLC PREMIUM | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LGSNR100PRIDGE DLC PREM. UL, MEANWELL | 100W LED=300W MH 12,000 LUMENS 120-277V |
| | LGSNR130PRIDGE DLC PREM. UL, MEANWELL | 130W LED=400W MH 15,600 LUMENS 120-277V |
| | LGSNR150PRIDGE DLC PREM. UL, MEANWELL | 150W LED=500W MH 18,000 LUMENS 120-277V |
| | LGSNR100PRIDGE DLC PREMIUM, UL, SOSEN | 100W LED=300W MH 12,000 LUMENS 120-277V |
| | LGSNR130PRIDGE DLC PREMIUM, UL, SOSEN | 130W LED=400W MH 15,600 LUMENS 120-277V |
| | LGSNR150PRIDGE DLC PREMIUM, UL, SOSEN | 150W LED=500W MH 18,000 LUMENS 120-277V |
| DLC PREMIUM-SAMSUNG 2835 CHIPS | LGSNR100PRIDGES DLC PREMIUM, UL | 100W LED=300W MH 12,000 LUMENS 120-277V |
| | LGSNR120PRIDGES DLC PREMIUM, UL | 120W LED=400W MH 14,400 LUMENS 120-277V |
| | LGSNR150PRIDGES DLC PREMIUM, UL | 150W LED=500W MH 18,000 LUMENS 120-277V |

| LED PARKING GARAGE - 1ST AND 2ND GENERATION | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE | |
|---|---|--|---|
|  | LGS635W DLC AND UL | 35W LED=150W MH 3,850 TO 4,025 LUMENS 120-277V | |
| | LGS655W DLC AND UL | 55W LED=200W MH 6,050 TO 6,325 LUMENS 120-277V | |
| | LGS635WBL DLC AND UL | 35W LED=150W MH 3,850 TO 4,025 LUMENS 120-277V | |
| | LGS655WBL DLC AND UL | 55W LED=200W MH 6,050 TO 6,325 LUMENS 120-277V | |
| | LGS675W DLC AND UL | 75W LED=300W MH 8,250 TO 8,625 LUMENS 120-277V | |
| | LGS6100W DLC AND UL | 100W LED=375W MH 11,000 TO 11,500 LUMENS 120-277V | |
| LED PARKING GARAGE- 2ND GEN. NEW-DLC PREMIUM | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE | |
|  | LPG402M DLC PREMIUM AND UL | 40W LED=150W MH 5,280 LUMENS 120-277V | |
| | LPG402 DLC PREMIUM AND UL | 40W LED=150W MH 5,280 LUMENS 120-277V | |
| | LPG552 DLC PREMIUM AND UL | 55W LED=200W MH 7,260 LUMENS 120-277V | |
| | LPG752 DLC PREMIUM AND UL | 75W LED=300W MH 9,900 LUMENS 120-277V | |
| | LPG1002 DLC PREMIUM AND UL | 100W LED=350W MH 13,200 LUMENS 120-277V | |
| 3RD GENERATION LED SHOEBOX SLEEK FIXTURE - TYPE 2 WAS 02 SERIES NOW 03 SERIES | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE | |
| <p>LED Shoebox Parking Lot Light</p>  <p>AM DM YM FM</p> <p>Adapter</p>  <p>type1 type2 type3</p> | LSBS603 DLC AND UL | 60W LED=250W MH 6,600 TO 7,800 LUMENS 120-277V | |
| | LSBS903 DLC AND UL | 90W LED=300W MH 9,900 TO 11,700 LUMENS 120-277V | |
| | LSBS1203 DLC AND UL | 120W LED=400W MH 13,200 TO 15,600 LUMENS 120-277V | |
| | LSBS1503 DLC AND UL | 150W LED=500W MH 16,500 TO 19,500 LUMENS 120-277V | |
| | LSBS1853 DLC AND UL | 185W LED=600W MH 20,350 TO 24,050 LUMENS 120-277V | |
| | LSBS2403 DLC AND UL | 240W LED=700W MH 26,400 TO 31,200 LUMENS 120-277V | |
| | LSBS3003 DLC AND UL | 300W LED=1000W MH 33,000 TO 39,000 LUMENS 120-277V | |
| | LSBS1503480 DLC AND UL | 150W LED=500W MH 16,500 TO 19,500 LUMENS 480V | |
| | LSBS2403480 DLC AND UL | 240W LED=700W MH 26,400 TO 31,200 LUMENS 480V | |
| | LSBS3003480 DLC AND UL | 300W LED=1000W MH 33,000 TO 39,000 LUMENS 480V | |
| | AM BRACKET-2 MODULE | AM BRACKET-2 MODULE | |
| | AM BRACKET-4 MODULE | AM BRACKET-4 MODULE | |
| | DM BRACKET | DM BRACKET | |
| | YM BRACKET | YM BRACKET | |
| | FM BRACKET-2 MODULE | FM BRACKET-2 MODULE | |
| | FM BRACKET-4 MODULE | FM BRACKET-4 MODULE | |
| | TM BRACKET | TM BRACKET | |
| | IM BRACKET | IM BRACKET | |
| | 7TH GENERATION LED SHOEBOX- TYPE 2 - NEWEST! | MILLER ITEM | WATTS=METAL HALIDE/LUMENS/VOLTAGE |
| |   <p>AM DM YM DM&AM</p> | LSBS1007 DLC AND UL FACTORY DRIVER | 100W LED=375W MH 12,500 TO 14,000 LUMENS 120-277V |
| LSBS1507 DLC AND UL FACTORY DRIVER | | 150W LED=500W MH 18,750 TO 21,000 LUMENS 120-277V | |
| LSBS1507M DLC AND UL MEANWELL | | 150W LED=500W MH 18,750 TO 21,000 LUMENS 120-277V | |
| LSBS1507M-480V DLC, UL MEANWELL | | 150W LED=500W MH 18,750 TO 21,000 LUMENS 480V | |
| LSBS1857M DLC AND UL MEANWELL | | 185W LED=575W MH 23,125 TO 25,900 LUMENS 120-277V | |
| LSBS2007 DLC AND UL FACTORY DRIVER | | 200W LED=600W MH 25,000 TO 28,000 LUMENS 120-277V | |
| LSBS2407 DLC AND UL FACTORY DRIVER | | 240W LED=700W MH 30,000 LUMENS TO 33,600 LUMENS 120-277V | |
| LSBS2407M DLC AND UL MEANWELL | | 240W LED=700W MH 30,000 LUMENS TO 33,600 LUMENS 120-277V | |
| LSBS3007 DLC AND UL FACTORY DRIVER | | 300W LED=1000W MH 37,500 TO 42,000 LUMENS 120-277V | |
| LSBS3007M DLC AND UL MEANWELL | | 300W LED=1000W MH 37,500 TO 42,000 LUMENS 120-277V | |
| LSBS3007M-480V DLC, UL MEANWELL | | 300W LED=1000W MH 37,500 TO 42,000 LUMENS 480V | |
| AM BRACKET | | AM BRACKET | |
| DM BRACKET | | DM BRACKET | |
| YM BRACKET | | YM BRACKET | |
| DM AND AM BRACKET | | DM AND AM BRACKET | |

| 2ND GENERATION LED SHOEBOX FIXTURE - TYPE 1 | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|---|--|--|
|  | FSB602P DLC AND UL | 60W LED=250W MH 7,200 TO 7,800 LUMENS 120-277V |
| | FSB902P DLC AND UL | 90W LED=300W MH 10,800 TO 12,880 LUMENS 120-277V |
| | FSB1202P DLC AND UL | 120W LED=400W MH 14,400 TO 16,800 LUMENS 120-277V |
| | FSB1502P DLC AND UL | 150W LED=500W MH 18,000 TO 21,000 LUMENS 120-277V |
| | FSB2002P DLC AND UL | 200W LED=600W MH 24000 TO 28000 LUMENS 120-277V |
| | FSB2402P DLC AND UL | 240W LED=700W MH 28,800 TO 33,600 LUMENS 120-277V |
| | FSB30026P 6 MODULES DLC AND UL | 300W LED=1000W MH 36,000 TO 42,000 LUMENS 120-277V 6 modules |
| | FSB300240 4 MODULES DLC AND UL | 300W LED=1000W MH 36,000 TO 42,000 LUMENS 120-277V 4 modules |
| | FSB4002P DLC AND UL | 400W LED=1200W MH 48,000 TO 56,000 LUMENS 120-277V |
| | FSB4802P DLC AND UL | 480W LED=1500W MH 57,600 TO 67,200 LUMENS 120-277V |
| | FSB1202P-480V DLC AND UL | 120W LED=400W MH 14,400 TO 16,800 LUMENS 480V |
| | FSB1502P-480V DLC AND UL | 150W LED=500W MH 18,000 TO 21,000 LUMENS 480V |
| | FSB2002P-480V DLC AND UL | 200W LED=600W MH 24,000 TO 28,000 LUMENS 480V |
| | FSB3002P-480V DLC AND UL | 300W LED=1000W MH 36,000 TO 42,000 LUMENS 480V |
| FSB4802P-480V DLC AND UL | 480W LED=1500W MH 57,600 TO 67,200 LUMENS 480V | |
| 2ND GENERATION MINI LED WALL PACK LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LWMP9 DLC AND UL | 9W LED=40W MH 1,035 LUMENS 120-277V |
| | LWMP15 DLC AND UL | 15W LED=75W MH 1,725 LUMENS 120-277V |
| | LWMP20 DLC AND UL | 20W LED=100W MH 2,300 LUMENS 120-277V |
| 5TH GENERATION LED WALL PACK LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LWP35P5 DLC AND UL | 35W LED=125W MH 3,850 TO 4,200 LUMENS 120-277V |
| | LWP55P5 DLC AND UL | 55W LED=200W MH 6,050 TO 6,600 LUMENS 120-277V |
| LED SEMI-CUT OFF WALL PACK-NEW | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LWP35PSEMI NEW DLC PREMIUM, UL | 35W LED=100W MH 4,200-4,550 LUMENS 120-277V |
| | LWP40PSEMI NEW DLC PREMIUM, UL | 40W LED=125W MH 4,800-5,200 LUMENS 120-277V |
| | LWP55PSEMI NEW DLC PREMIUM, UL | 55W LED=175W MH 6,600-7,150 LUMENS 120-277V |
| | LWP60PSEMI NEW DLC PREMIUM, UL | 60W LED=250W MH 7,200-7,800 LUMENS 120-277V |
| | LWP80PSEMI NEW DLC PREMIUM, UL | 80W LED=300W MH 9,600-10,400 LUMENS 120-277V |
| | LWP100PSEMI NEW DLC PREMIUM, UL SMALL HOUSING | 100W LED=350W MH 12,000-13,000 LUMENS 120-277V |
| | LWP120PSEMI NEW DLC PREMIUM, UL SMALL HOUSING | 120W LED=400W MH 14,400-15,600 LUMENS 120-277V |
| | LWP100PSEMIB NEW DLC PREMIUM, UL BIG HOUSING | 100W LED=350W MH 12,000-13,000 LUMENS 120-277V |
| | LWP120PSEMIB NEW DLC PREMIUM, UL BIG HOUSING | 120W LED=400W MH 14,400-15,600 LUMENS 120-277V |
| LED FULL-CUT OFF WALL PACK-NEW | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LWP40PFULL-NEW DLC PREMIUM, UL | 40W LED=150W MH 4,600-5,200 LUMENS 120-277V |
| | LWP40PFULL-480V NEW DLC PREM, UL | 40W LED=150W MH 4,600-5,200 LUMENS 480V |
| | LWP60PFULL NEW DLC PREMIUM, UL | 60W LED=250W MH 6,900-7,800 LUMENS 120-277V |
| | LWP80PFULL NEW DLC PREMIUM, UL | 80W LED=300W MH 9,200-10,400 LUMENS 120-277V |
| | LWP100PFULL NEW DLC PREMIUM, UL | 100W LED=350W MH 11,500-13,000 LUMENS 120-277V |
| | LWP120PFULL NEW DLC PREMIUM, UL | 120W LED=400W MH 13,800-15,600 LUMENS 120-277V |
| | LWP150PFULL NEW DLC PREMIUM, UL | 150W LED=500W MH 17,250-19,500 LUMENS 120-277V |
| LED FULL-CUT OFF WALL PACK-NEW | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LWPR25T UL AND CUL | 25W LED=100W MH 3,125-3,375 LUMENS 120-277V |
| | LWPR40T-480V UL AND CUL | 40W LED=150W MH 5,000-5,400 LUMENS 480V |
| | LWPR60T UL AND CUL | 60W LED=250W MH 7,200-8,100 LUMENS 120-277V |
| | LWPR80T UL AND CUL | 80W LED=300W MH 9,600-10,800 LUMENS 120-277V |
| | LWPR100T UL AND CUL | 100W LED=350W MH 12,500-13,500 LUMENS 120-277V |

| ROTATABLE WALL PACK LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|---|----------------------------------|---|
|  | LWPR25 DLC AND UL | 25W LED=100W MH 3,000 TO 3,250 LUMENS 120-277V |
| | LWPR40 DLC AND UL | 40W LED=150W MH 4,800 TO 5,200 LUMENS 120-277V |
| | LWPR601 1 MODULE-DLC AND UL | 60W LED 250W MH 7,200 TO 7,800 LUMENS 120-277V |
| | LWPR602 2 MODULES DLC AND UL | 60W LED=250W MH 7,200 TO 7,800 LUMENS 120-277V |
| | LWPR80 DLC AND UL | 80W LED=300W MH 9,600 TO 10,800 LUMENS 120-277V |
| | LWPR120 DLC AND UL | 100W LED=350W MH 12,000 TO 13,000 LUMENS 120-277V |
| NEW LED FLOOD LIGHT - PHILIPS 3030 CHIPS | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | FFL1203 DLC AND UL | 120W LED=400W MH 15,000 LUMENS 120-277V |
| | FFL1203-480 480 VOLT DLC AND UL | 120W LED=400W MH 15,000 LUMENS 480V |
| | FFL1503 DLC AND UL | 150W LED=500W MH 18,750 LUMENS 120-277V |
| | FFL1503-480 480 VOLT DLC AND UL | 150W LED=500W MH 18,750 LUMENS 480V |
| | FFL18503 DLC AND UL | 185W LED=600W MH 22,500 LUMENS 120-277V |
| | FFL24003 DLC AND UL | 240W LED=750W MH 30,000 LUMENS 120-277V |
| | FFL30003 DLC AND UL | 300W LED=1000W MH 37,500 LUMENS 120-277V |
| 6TH GENERATION LED FLOOD LIGHT | MILLER ITEM | WATTS LED=WATTS METAL HALIDE LUMENS VOLTAGE |
|  | LFL15 DLC PREMIUM AND UL | 15W LED=75W MH 1,950 TO 2,100 LUMENS 120-277V |
| | LFL30 DLC PREMIUM AND UL | 30W LED=125W MH 3,900 TO 4,200 LUMENS 120-277V |
| | LFL50 DLC PREMIUM AND UL | 50W LED=175W MH 6,500 TO 7,000 LUMENS 120-277V |
| LED PANEL LIGHT LUMENS MAY VARY DUE TO DIFFERENT KELVINS AND WATTAGES | MILLER ITEM | WATTS=METAL HALIDE/LUMENS/VOLTAGE |
|  | LP224040PR LP224540PR LP225040PR | 40W LED 2 X 2 4,400 LUMENS 120-277V |
| | LP224050PR LP224550PR LP225050PR | 55W LED 2 X 2 6,060 LUMENS 120-277V |
| | LP244060PR LP244560PR LP245060PR | 60W LED 2 X 4 6,600 LUMENS 120-277V |